SPECIFICATIONS

	KTS-442P
Measuring Range	
1P	5.0km
3P	8-10 km
Non prism	1000m (1500m optional)
Digital Display	Maximum: 99999999999999999999999999999999999
Accuracy	With prism: 2mm+2ppm, without prism 3mm+2ppm
Measuring Time	Tracking 0.1s, Fine 0.3s (optimal)
Atmospheric Correction	Automatic Correction by Inputting Parameter
Prism Constant	Automatic Correction by Inputting Parameter
Angle Measurement	
Measurement Method	Absolute Encoding
Diameter of The Raster Disk	79mm
Minimum Reading	1 " / 5 " Optional
Accuracy	2 "
Detection Method	Horizontal: Four Sensors Vertical: Four Sensors
Telescope	
Image	Erect
Length	154mm
Effective Aperture	45mm (DTM 50mm)
Magnification	30 X
Field of View	1° 30′
Resolving Power	3 "
Minimum Focus	lm
Guide Light	Yes, (Red/Green)
Compensation	
System	Dual avis liquid electric
Working Range	Dual axis liquid-electric
Resolving Power	±3′
Sensitivity of Vials	1 "
Plate Vial	30 " /2mm
Circular Vial	8′/2mm
Laser Plummet	Yes
	ies
Data Storage and Communication	12MD (up to 100.000 points)
Internal Memory External Memory	12MB (up to 100,000 points)
Communication Port	USB Flash Disk (up to 256 GB) USB, Bluetooth
	USB, BIUELOULT
Display	Dual sides Klines black and white
Туре	Dual sides, 6 lines, black and white
Battery	
Power Supply	Rechargeable battery (5000 mAH x 2 unit)
Voltage	7.4V DC
Operation Time	32 hours standby time by single battery
Dimension and Weight	1/0
Dimension	160mm×150mm×330mm
Weight	5.7 kg
Environmental Specification	
Dust/Water (IEC60529)	IP66
Working Temperature Range	-30°C~50°C
T/P Sensor	Auto sensor and set
Humidity	95%, non-condensing





-

GUANGDONG KOLIDA INSTRUMENT CO., LTD.

 Add: 7/F, South Geo-information Industrial Park, No.39 Si Cheng Road, Tian He IBD, Guangzhou 510663, China

 Tel: +86-20-22139033
 Fax: +86-20-22139032

 Email: export@kolidainstrument.com
 market@kolidainstrument.com

KTS-442P

The High Performance Total Station with Great Reliability, Flexibility and Economy



Kolida's Vision and Mission:

Delivering more values to global users by providing sustaining innovation and uncompromising quality



Welcome to Kolida Instrument, a fusion of passionate people, continuously innovated technology, services, as well as 30 years experience of manufacturing total station.

Every year more than 12,000 customers choose to purchase Kolida total stations. To ensure our instruments meet the high precision and quality requirement of global users, we manufacture them in state-of-the-art facilities around China.


We recognize certain employees as Master Craftspersons, exceptionally skilled people who take charge of manufacturing the parts of products that require extremely high precision and quality. Their Fast, accurate work creates uniform products of superb quality.

In addition to introducing the latest manufacturing facilities and technologies, we are shortening manufacturing lead times and reducing costs by reviewing production processes and innovating Procurement, to offer you a good instrument as affordable as possible.

You demand, our mission.

Seven Major Improvements To lift your capability and productivity

TECHNOLOGIES



PROGRAMS







RFM

Resection







Plane Offset

Distance Offset



Area Cal.

Column Offset





Video and Article: http://www.kolidainstrument.com/product/details/id/81.html

MIM


Dual Axis Compensation

Guide Light



Total Station Module of Ksurvey App: Four Main Features to Give You More Power & Freedom


(.csv, .dxf, .txt, .xls)



CAD Stakeout: Increasing Productivity & Decreasing Error

CAD Stakeout allows you to import CAD basemap and stakeout it, without inputting point coordinates one by one.


When you need, you also can connect to your local online map and overlap it to CAD basemap, to increase the precision of your job.



With graphic display, now it is easy for you to observe the relation between occupied point and target points. It will help you to make less mistakes when measuring many points.

The stakeout program screen displays information more completely, indicates target points more intuitively, your workflow will be smoother than before.


Line Stakeout: Smarter than Traditional Way



User is allowed to manually choose points from library, line will be formed by program automatically. Then user input interval distance, setout points will be calculated out and displayed on screen.

This function is suitable for road or other objective that is containing lines.






User is allowed to draw line, polygon, circle...up to 11 kinds of graphic, while measuring target points. No need to manually draw draft map anymore.

User is allowed to manage different objectives as different layers. The draft map can be saved and output in CAD format, and to be used in indoor works.

Other Features: More Innovation, No Limitation

(?)



Other Modules of Ksurvey App: GNSS, Marine Survey, 3D Laser Scanner...